

File: UniFirst Datg.
field
1-6-88
je

GOODWIN, PROCTER & HOAR
(A PARTNERSHIP INCLUDING PROFESSIONAL CORPORATIONS)
COUNSELLORS AT LAW
EXCHANGE PLACE
BOSTON, MASSACHUSETTS 02109



SDMS DocID

548865

December 9, 1987

TELEPHONE (617) 570-1000
TELECOPIER (617) 523-1231
TELEX 94-0640
CABLE GOODPROCT, BOSTON

Ms. Barbara Newman
Environmental Protection
Agency
Region 1
John F. Kennedy Building
Boston, MA 02203-2211

| | |
|-----------------------|-----------------|
| SUPERFUND RECORDS CTR | |
| Site: | Wells G+H |
| Break: | 7/1/9 |
| Other: | UniFirst 548865 |

Re: UniFirst/Response to EPA Information Request of
November 12, 1987


Dear Barbara:

In response to your letter of November 12, 1987, please
find enclosed:

- (1) Copies of Jeffrey Lawson's well logs and field notes
written for the installation of the off-site wells near
UniFirst's property in Woburn;
- (2) Copies of Jeff's field books containing notes regarding
installation of the six 6-inch diameter on-site wells and notes
regarding performance of the Solinst sampling device in wells
UC9 and UC10;
- (3) Laboratory data sheets containing the results of
laboratory analyses performed on ground-water samples taken
since the document submittal to EPA on June 27, 1987; and
- (4) Laboratory data sheets for analyses performed on
drilling fluid, drill rig lubricants and metals analyses
performed on the soil stockpile at the site.

If you have any questions, please give me a call.

Sincerely,


Nancer Ballard, Esq.

NB:kc
Enclosures
SVS-1105/U

ROUTING AND TRANSMITTAL SLIP

Date

12/28

TO: (Name, office symbol, room number, building, Agency/Post)

Initials

Date

1. Joe Cleary

2.

3.

4.

5.

Per'd
r-6-88

| Action | File | Note and Return |
|--------------|----------------------|------------------|
| Approval | For Clearance | Per Conversation |
| As Requested | For Correction | Prepare Reply |
| Circulate | For Your Information | See Me |
| Comment | Investigate | Signature |
| Coordination | Justify | |

REMARKS

Enclosed is the remainder of the info on the wells installed by Unifirst and some data on water sampling.

DO NOT use this form as a RECORD of approvals, concurrences, disposals, clearances, and similar actions

FROM: (Name, org. symbol, Agency/Post)

Room No.—Bldg.

Barbara Newman

Phone No.